

LW 25 B83 0.8Nm-30rpm 24Vdc Motor
Ref 1000031

Basic information

Product benefits

- Available in 2 torques.
- Double extending shaft.
- Integrated brake.
- Integrated overtorque limiter.
- Adapters available for various headrail and shaft sizes.



Main technical information	
Application(s)	Motorised blinds
Nominal Torque	0,8 Nm
Nominal Speed	30 rpm
Nominal Voltage / Frequency	24V DC
Protection Index	IP 40

Technical information

Electrical	
Minimum voltage	20 V
Nominal Voltage / Frequency	24V DC

Mechanical	
Nominal Torque	0,8 Nm
Nominal Speed	30 rpm

Standard	
Protection Index	IP 40

Cable	
Wire section	2 X 0.25 mm ²
Number of wires of the cable	2
Wire Length	2.5 m

Dimension	
Length (L3)	205.5 mm
Diameter	24 mm
Weight	0,195 Kg

Other	
Working temperature	-10 to + 60 °C

Related Documents

- [LV-LW25 Installation Guide](#)
- [LW25 Data Sheet](#)
- [LW25 E Data Sheet](#)

[AMS 25 \(Adjustable Mechanical Stop\) For CTS 25 & 35](#)



[Ref. 9163030](#)

[CTS25 BEARING](#)



[Ref. 9162139](#)

[BEARING CTS 25 FOR WOOD BLIND](#)



[Ref. 9162267](#)

[Bearing for HD Ultimate 25 x 25 Cord Take Up System \(CTS\) 25 & 35](#)



[Ref. 9162176](#)

[BEARING CTS25 VERSARAIL EASYUP /100](#)



[Ref. 9162175](#)

[CTS35 BEARING](#)



[Ref. 9162135](#)

[Bearing for HD Basic Cord Take Up System \(CTS\) 25 & 35](#)



[Ref. 9162159](#)

[LONG CONE FOR CTS 25 OR 35 FOR 5mm SQUARE SHAFT](#)



[Ref. 9162138](#)

[LONG CONE FOR CTS 25 OR 35 WITH HOLE FOR 5mm HEX SHAFT](#)



[Ref. 9162136](#)

[LONG CONE FOR CTS 25 OR 35 WITH 6mm HEX SHAFT](#)



[Ref. 9162137](#)

[Long Cover for Cord Takeup System \(CTS\) 25 & 35](#)



[Ref. 9162140](#)

[HEADRAIL ADAPTER 38X57MM](#)



[Ref. 9014528](#)

[Headrail Adapter for the Tilt wirefree Motor to suit headrail size 51 x 57mm](#)



[Ref. 9014529](#)

[Headrail Adapter for HD Basic 25 x 25mm Headrail](#)



[Ref. 9163324](#)

[Headrail Adapter for Versa Rail, Graber Easy Up Headrail](#)



[Ref. 9163325](#)

[Headrail Adapter for Faber Minimatic 25 x 25mm Headrail](#)



[Ref. 9163261](#)

[Headrail Adapter for Faber Softline 25 x 25mm Headrail](#)



[Ref. 9163262](#)

[Headrail Adapter for HD 38 or 51 x 57mm Wooden VB Headrail](#)



[Ref. 9163338](#)

[HEADRAIL ADAPTOR HD 40X36 MM FABER MIDIMATIC/10](#)



[Ref. 9163265](#)

[Headrail Adapter for Hunter Douglas Ultimate 25 x 25mm Headrail](#)



[Ref. 9163260](#)



[HEADRAIL ADAPTOR PERMA 29X29MM/10](#)

[Ref. 9163263](#)



[HEADRAIL ADAPTOR SANI 31X31 /10](#)

[Ref. 9163321](#)



[Headrail Adapter for Schon HD Pleated Headrail](#)

[Ref. 9163333](#)



[HEADRAIL ADAPTOR SCHON/VOSSLOH/10](#)

[Ref. 9163326](#)



[HEADRAIL ADAPTOR VEROSOL](#)

[Ref. 9163268](#)



[Long Shaft Adapter 5mm Hex For LV & LW Motors](#)

[Ref. 9163254](#)

[Long Shaft Adapter 6mm Hex For LV & LW Motors](#)



[Ref. 9163255](#)

[Long Shaft Adapter 5mm Square For LV & LW Motors](#)



[Ref. 9163256](#)

[Plug for Cord Take Up System \(CTS\) with 5mm Hex Hole](#)



[Ref. 9162141](#)

[Plug for Cord Take Up System \(CTS\) with 6mm Hex Hole](#)



[Ref. 9162142](#)

[Plug for Cord Take Up System \(CTS\) with 5mm Square Hole](#)



[Ref. 9162143](#)

[RDS Wall Mounting Bracket](#)



[Ref. 9163297](#)

[Roman Blin Bearing For Cord Take Up System \(CTS\) 25](#)



[Ref. 9162337](#)

[Shaft Adapter 5mm Hex For AMS 25](#)



[Ref. 9163251](#)

[Shaft Adapter 6mm Hex For AMS 25](#)



[Ref. 9163252](#)

[Shaft Adapter 5mm Square For AMS 25](#)



[Ref. 9163253](#)

[SHORT CONE HEXA 5](#)



[Ref. 1781003](#)

[SHORT CONE HEXA 6](#)



[Ref. 1781002](#)

[SHORT CONE SQUARE 5](#)



[Ref. 1781001](#)

[SHORT COVER CTS](#)



[Ref. 1781000](#)

[Stop Ring For 5mm Hex Shaft](#)



[Ref. 9162258](#)

[Stop Ring For 5mm Square & 6mm Hex Shaft](#)



[Ref. 9162257](#)